

## DECLARATION OF COMPLIANCE Profile<sup>®</sup> II Filter Cartridges RF Style "W" Code

### Cartridge Part Number

R  F  W  
Table 1      Table 2

This is a guide to the Part Numbering structure only, for specific options, please contact Pall

**Table 1 : Nominal Length**

Code	Description
01	25.4 mm (1")
05	127 mm (5")
09	228.6 mm (9")
1	254 mm (10")
2	508 mm (20")
29	736.6 mm (29")
3	762 mm (30")
39	990.6 mm (39")
4	1016 mm (40")

**Table 2 : Removal Rating**

Code	Description
005	0.5 µm
010	1 µm
030	3 µm
050	5 µm
100	10 µm

Profile II RF style filter cartridges comprise of a polypropylene filter medium cylindrical sleeve formed by a proprietary Pall process with a polypropylene molded core.

The inner section of the medium sleeve (inside diameter) consists of a constant pore region to provide the filter rating performance, while the pore size of the outer section varies continuously for effective pre-filtration of particles larger than the rated size.


Profile polypropylene filter medium does not contain surfactants or binder resins.

An initial flush is recommended prior to use.

Issued            1 May 2009  
 Revised        1 March 2010  
 Expires         28 February 2011  
 Reference      FBDCPROFRFENb  
 Page            1 of 3



Peg Peri  
 Director of Regulatory Affairs  
 Western Hemisphere



Geoff Doubleday  
 European Quality Manager

## Profile II Filter Cartridges (RF Style “W” Code)

### Components

Filter Media Polypropylene

Core Polypropylene

### Declaration

Profile II RF style “W” Code filter cartridges comprise of materials that meet regulatory and legislative requirements and guidelines for food contact in that:

- **Europe**

“W” Code Profile II RF style polypropylene filter cartridges meet the requirements for food contact as detailed in European Regulation (EC) Number 1935/2004 in that:

Our suppliers state that the polymeric materials used to produce these filters are made from monomers and additives listed in EU Directive 2002/72/EC relating to plastic materials and articles intended to come into contact with foodstuffs (excluding seals).

Migration testing has been performed on R1F100 in simulants A, B and C and met migration requirements after flushing and in flow conditions.

Note:

This product contains materials that are subject to Specific Migration Limit (SML) requirements.

This product contains calcium stearate, which is approved as a direct food additive

- **USA**

The materials of construction meet the FDA requirements for food contact use as detailed in Code of Federal Regulations, 21 CFR paragraphs 170-199.

Polypropylene to 21 CFR section 177.1520 (Olefin polymers)

### Process Quality System

Site of Manufacture: Pall Ilfracombe, UK

The Quality Management System at Pall Ilfracombe is certified to ISO 9001:2008.

These products / product packaging carry a lot number / date code to facilitate traceability to suppliers’ materials and Pall production records.

### Supplied in Europe by

Pall Europe Ltd  
Europa House  
Havant Street  
Hampshire  
England  
PO1 3PD



Pall Corporation

**Pall Food and Beverage**


New York - USA  
+1 516 484 3600 telephone  
+1 886 905 7255 toll free

Portsmouth - UK  
+44 (0)23 9230 2269 telephone  
+44 (0)23 9230 2509 fax  
industrialeu@pall.com

Visit us on the web at [www.pall.com](http://www.pall.com)

Pall Corporation has offices throughout the world. For Pall representatives in your area, please go to [www.pall.com/contact](http://www.pall.com/contact).

Because of developments related to products, systems and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit [www.pall.com](http://www.pall.com) to verify that this information remains valid. Products in this document may be covered by one or more of the following patent numbers: EP 433,661; US 5,133,878.

© Copyright 2010, Pall Corporation. Pall,  and Profile are trademarks of Pall Corporation. © indicates a trademark registered in the USA. Filtration.Separation.Solution is a service mark of Pall Corporation.