

April 30, 2009

Dear Customer:

Pall Corporation is monitoring very closely the swine influenza ("swine flu") virus news at all our manufacturing sites, and in particular, our facility based in Tijuana, Mexico. At this juncture we are not aware of any case of swine flu virus at this facility, nor any at our other manufacturing locations. At our Tijuana, Mexico site, we have our Emergency Operations Team in place, which is monitoring events daily. As always, at all facilities, we adhere to appropriate good manufacturing practices to assure the safety and efficacy of our products. Our personnel continue to follow the practices and procedures that are well-established to maintain clean and healthy environments while continuing to supply our customers on a routine basis.

While a number of countries may be restricting non-critical activities, Pall Life Sciences facilities are a critical piece of the global medical supply chain and, as such, will remain open.

We also would like to remind you where applicable:

- Finished goods manufactured by our Tijuana, Mexico manufacturing facility are sterilized (gamma irradiated) in their shipping pallets in the U.S. after crossing the border and before distribution.
- Sub-assemblies manufactured at this plant for finished goods manufacturing are steam sterilized individually as a closed system and bulk pasteurized in our Covina, California facility.
- As far as our Supply Chain is concerned, we are monitoring customer demand, raw materials, work in progress, finished goods as well as inventories at all of our manufacturing sites across the world and do not anticipate any supply disruptions as a result of this outbreak.

We trust that the above information is helpful to you in assuring Pall Corporation's responsiveness during this period. Should you require additional information, please contact us using the telephone numbers provided below.



Robert A. Dickstein, PhD  
Senior Vice President  
Global Regulatory Affairs and  
Scientific & Laboratory Services  
Pall Life Sciences  
516-801-9277



Sharon Klugewicz  
Senior Vice President  
Global Quality Assurance  
Pall Life Sciences  
516-801-9603