

DECLARATION OF COMPLIANCE

Claris® Filter Cartridges

"W" Code

Cartridge Part Number

CLR W 480

Table 1 Table 2 Table 3 Table 4

This is a guide to the part numbering structure only. For specific options, please contact Pall.

Table 1 : Removal Rating

Code	Description
1	1 µm
3	3 µm
5	5 µm
10	10 µm
20	20 µm
30	30 µm
50	50 µm

Table 4 : O-ring Seal Material*

Code	Description
S	Silicone Elastomer
E**	Ethylene Propylene Rubber

*Only available in M3, M6, M7 and M8 configurations

**Not suitable for use in fatty foods

Table 2 : Nominal Length

Code	Description
DOE Style Only	
5	127 mm (5")
975	248 mm (9.75")
9875	251 mm (9.875")
10	254 mm (10")
195	495 mm (19.5")
20	508 mm (20")
2925	743 mm (29.25")
295	749 mm (29.5")
30	762 mm (30")
39	991 mm (39")
40	1016 mm (40")
50	1270 mm (50")
SOE Style only	
10	254 mm (10")
20	508 mm (20")
30	762 mm (30")
40	1016 mm (40")

Table 3 : Adaptor

Code	Description
Blank	DOE - double open end with no End Caps
M3	SOE - single open end with flat closed end and external 222 O-rings
M6	SOE - single open end with flat closed end, 2 locking tabs and external 226 O-rings
M7	SOE - single open end with fin end, 2 locking tabs and external 226 O-rings
M8	SOE - single open end with fin end and external 222 O-rings

Claris filter cartridges are constructed of polypropylene and do not contain surfactants or binder resins. Claris filter cartridges are intended for general food and beverage application use.

An initial flush is recommended prior to use.

Issued 1 May 2009
 Revised 14 October 2024
 Expires 28 February 2027
 Reference FBDCCCLARISENp
 Page 1 of 4



Elsa Flores
Quality Director - Americas

Claris Filter Cartridges (“W” Code)

Components

Filter Media	Polypropylene
Extruded Core	Polypropylene
End Cap and Fin End	Polypropylene
Adaptor	Polypropylene
O-ring Seal	Silicone Elastomer (S) or Ethylene Propylene Rubber (E)

Declaration

Claris filter cartridges are comprised of materials that meet regulatory and legislative requirements and guidelines for food contact in that:

Europe

The “W” Code Claris filter cartridges meet the requirements for food contact as detailed in European Regulation (EC) Number 1935/2004 in that:

Our suppliers’ information indicates that the polymeric materials of construction are made from monomers and additives consistent with Annex I of Commission regulation (EU) Number 10/2011 and its amendments, relating to plastic materials and articles intended to come into contact with foodstuffs (excluding seals).

OML and SML migration testing has been performed, and met migration criteria after flushing and in flow conditions in:

Simulant B (3% acetic acid) 2 hours at reflux,
 Simulant D1 (50% ethanol) 2 hours at reflux,
 Simulant D2 (Sunflower oil) 48 hours at 40 °C,
 And water up to 70 °C (158 °F).

Note: This product contains materials that are subject to Specific Migration Limit (SML) requirements. This product contains calcium stearate, which is approved as a direct food additive.

French requirements for food contact elastomers (Arrêté of 9th November 1994 amended by order of 5th August 2020)

Typical samples of the ‘S’ (Silicone) and ‘E’ (EPDM) seal material formulations have been tested as BS3601-226 size seals for overall migration. Testing was conducted in distilled water, 3 % acetic acid, 20 % ethanol, 50 % ethanol, and 95 % ethanol under reflux conditions for 4 hours - repeat use. The data obtained with the ‘S’ O-rings, under the test conditions, were well within the limit for all migration fluids tested. The data obtained with the ‘E’ O-rings, under the test conditions, were well within the limit for distilled water, 3 % acetic acid, 20 % ethanol and 50 % ethanol. The ‘E’ O-rings are not suitable for use in fatty foods.

German requirements for food contact elastomers (BfR XV Silicones) Typical samples of the ‘S’ (Silicone) seal material formulation have been tested as BS3601-226 size seals for overall migration. Testing was conducted in distilled water, 3 % acetic acid, 10 % ethanol, and 95 % ethanol under reflux conditions for 4 hours - repeat use. The data obtained with the ‘S’ O-rings, under the test conditions, were well within the limit for all migration fluids tested.

German requirements for food contact elastomers (BfR XXI Natural and Synthetic Rubber Category 1) Typical samples of the ‘E’ (EPDM) seal material formulation have been tested as BS3601-226 size seals for overall migration. Testing was conducted in distilled water, 3 % acetic acid, 10 % ethanol, and 95 % ethanol under reflux conditions for 4 hours - repeat use. The data obtained with the ‘E’ O-rings, under the test conditions, were well

within the limit for distilled water, 3 % acetic acid and 10 % ethanol. The 'E' O-rings are not suitable for use in high alcohol or fatty foods. Additionally, our supplier states that this O-ring seal formulation is suitable for food contact use under BfR XXI category 4.

Users should satisfy themselves that these materials are suitable for use in their specific food application.

Mercosur

The materials of construction meet the requirements for food contact as detailed in Reglamento Técnico Mercosur sobre materiales lista positiva de

- monómeros, otras sustancias de partida y polímeros autorizado para la elaboración de envases y equipamientos plásticos in contacto con alimentos, Mercosur/GMC/Res. No. 19/21 y
- aditivos para materiales plásticos destinados a la elaboración de envases y equipamientos in contacto con alimentos, Mercosur/GMC/Res. No. 56/92.

People's Republic of China

The "W" Code Claris filter cartridges meet the requirements for food contact as detailed in Chinese standard Numbers GB 4806.7-2023 and GB 4806.11-2023.

USA

The materials of construction meet the FDA requirements for food contact use as detailed in Code of Federal Regulations, 21 CFR paragraphs 170-199:

- Polypropylene to 21 CFR section 177.1520 (Olefin polymers)
- Ethylene Propylene Rubber seal materials to 21 CFR section 177.2600 (Rubber articles intended for repeated use with aqueous foods, excluding fatty foods (e.g. milk and edible oils) based on confirmatory testing as detailed in section (e).
- Silicone Elastomer seal materials to 21 CFR section 177.2600 (Rubber articles intended for repeated use, with aqueous and fatty foods (e.g. milk and edible oils) based on confirmatory testing as detailed in sections (e, f).

Process Quality System

Site of Manufacture: Pall Timonium, USA. Made in USA.

The Quality Management System at Pall Timonium is certified to ISO 9001:2015.

These products / product packaging carry a lot number / date code to facilitate traceability to suppliers' materials and Pall production records.

Pall Timonium confirm that this product is manufactured in line with the principles of food contact materials GMP as detailed in Regulation 2023/2006.

Supplied in Europe by

Pall Sàrl
Av. de Tivoli
Fribourg
Switzerland
CH-1700



+1-866-905-7255 **Food and Beverage toll free**
foodandbeverage@pall.com

Corporate Headquarters

Port Washington, NY, USA
+1-800-717-7255 toll free (USA)
+1-516-484-5400 phone

European Headquarters

Fribourg, Switzerland
+41 (0)26 350 53 00 phone

Asia-Pacific Headquarters


Singapore
+65 6389 6500 phone

Visit us on the Web at www.pall.com/foodandbev

Pall Corporation has offices and plants throughout the world. To locate the Pall office or distributor nearest you, visit www.pall.com/contact.

The information provided in this literature was reviewed for accuracy at the time of publication. Product data may be subject to change without notice. For current information consult your local Pall distributor or contact Pall directly.

IF APPLICABLE Please contact Pall Corporation to verify that the product conforms to your national legislation and/or regional regulatory requirements for water and food contact use..

© Copyright 2024, Pall Corporation. Pall,  and Claris are trademarks of Pall Corporation.

® Indicates a trademark registered in the USA.

FBDCCLARISENo
OCTOBER 2024