

DECLARATION OF COMPLIANCE Emflon® PFRW Filter Capsules Kleenpak™ W Code

Capsule Part Number

K A PFR W 1

Table 1

This is a guide to part numbering structure only. For specific options, please contact Pall.

Table 1 : Nominal Size

Code	Description		
	Length (mm) ¹	Diameter (mm) ²	Diameter (mm) ³
1	117	61	94
2	158	61	94
3	174	76	110

¹ Length including 38 mm sanitary connections

² Excluding valves

³ Including valves

"W" Code Emflon PFRW Kleenpak style filter capsules are designed for sterile gas filtration in the food and beverage industry.

'Sterile air' is defined as that filtered using a 0.2 µm liquid rated filter (capable of removing 10⁷ of *Brevundimonas diminuta* per cm² of effective filtration area, in laboratory tests).

Please note this product is not supplied pre-sterilized.

The key feature of this product is the inclusion of two layers of hydrophobic, 0.2 µm microbially-rated Emflon PTFE medium in a polypropylene hardware filter capsule construction.

Issued 18 April 2016
Revision 28 February 2017
Expires 28 February 2019
Reference FBDCKPKPFRENa
Page 1 of 3



Steven Bailey
Quality Manager
Pall Manufacturing (UK) Ltd., Ilfracombe

Emflon PFRW Filter Capsules (Kleenpak "W" Code)

Components

Filter Membrane	PTFE
Support/Drainage	Polypropylene
Core, Cage, End Caps	Polypropylene
Outer Shell	Polypropylene
O-Ring Seals (Vent/Drain Valves)	Ethylene Propylene Rubber

Declaration

W" Code Emflon PFRW Kleenpak style filter capsules comprise materials that meet regulatory and legislative requirements and guidelines for food contact in that:

Europe

"W" Code Emflon PFRW Kleenpak style filter capsules meet the requirements for food contact as detailed in European Regulation (EC) Number 1935/2004 in that:

- Our suppliers state that the monomers and additives employed in the polymeric components of the construction are consistent with Annex I of European Regulation (EU) number 10/2011 and subsequent amendments relating to plastic materials and articles intended to come into contact with foodstuffs (excluding seals).
- These articles are intended for indirect food use in filtration of gases, therefore migration testing is not applicable.

USA

The materials of construction meet FDA requirements for food contact use as detailed in Code of Federal Regulations, 21 CFR paragraphs 170-199 in that:

- PTFE to 21 CFR section 177.1550 (Perfluorocarbon resins)
- Polypropylene to 21 CFR section 177.1520 (Olefin polymers)
- Ethylene Propylene Rubber seal material is listed in 21 CFR section 177.2600 (Rubber articles intended for repeated use, excluding milk and edible oils)

Process Quality System

Site of Manufacture: Pall Manufacturing (UK) Ltd., Ilfracombe, UK on behalf of Pall International Sàrl

These products are manufactured under a Quality Management System certified to ISO9001:2008.

These products / product packaging carry a lot number / date code to facilitate traceability to suppliers' materials and Pall production records.

Pall Manufacturing (UK) Ltd., Ilfracombe, UK confirm that the product manufacturing environment, for the above product at our site, is in-line with the principles of food contact materials GMP as detailed in Regulation 2023/2006.

Supplied in Europe by

Pall International Sàrl
Av. de Tivoli 3
Fribourg Switzerland CH-1700



Pall Corporation


Pall Food and Beverage

New York - USA
+1 516 484 3600 telephone
+1 866 905 7255 toll free
foodandbeverage@pall.com

Visit us on the web at www.pall.com

Pall Corporation has offices throughout the world. For Pall representatives in your area, please go to www.pall.com/contact.

Because of developments related to products, systems and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit www.pall.com to verify that this information remains valid.

© Copyright 2017, Pall Corporation. Pall, , Emflon and Kleenpak are trademarks of Pall Corporation. ® indicates a trademark registered in the USA. Filtration.Separation.Solution is a service mark of Pall Corporation.