



STATEMENT OF COMPLIANCE: ISO 12500-3:2009 Emflon® HTPFR Filter Cartridges AB Style “W” Code

Cartridge Part Number

AB HTPFR W
Table 1 Table 2 Table 3

This is a guide to the part numbering structure only. For specific options, please contact Pall.

Table 1 : Nominal Length

Code	Description
05*	127 mm (5")
1	254 mm (10")
2	508 mm (20")
3	762 mm (30")

*Available in code 2 only

Table 2 : Adaptor

Code	Description
2*	SOE – single open end with flat end, 2 locking tabs and external 226 O-rings
7	SOE – single open end with fin end, 2 locking tabs and external 226 O-rings

*Available in 5" only

Table 3 : Seal Material

Code	Description
H4	Silicone elastomer
J	Ethylene propylene rubber

Emflon HTPFRW final air filters are designed for critical, high temperature sterile filtration of compressed air and gas and sterile hot fluid tank venting applications in the food and beverage industry. They can also be considered for use in oxygen-enriched air applications.

The key features of this product are the inclusion of two layers of hydrophobic, 0.2 µm microbial rated Emflon PTFE medium, polyphenylene sulfide support and drainage layers, and oxidation-resistant polypropylene hardware for resistance to highly oxidizing conditions.

Issued 26 February 2013
Revised 7 January 2019
Expires 28 February 2021
Page 1 of 2

Steven Bailey
Quality Manager
Pall Manufacturing (UK) Ltd., Ilfracombe

Emflon HTPFR Filter Cartridges (AB Style “W” Code)

Components

Filter Media	Two layers of hydrophobic Emflon PTFE media
Support / Drainage	Polyphenylene sulfide
Side Seal	Polypropylene
Cage	Polypropylene with silica/TiO ₂ filler
Core, End Cap and Fin End	Polypropylene
Adaptor	Polypropylene (with integral stainless steel reinforcing ring as appropriate to design*)
O-ring Seal	Silicone Elastomer (H4) Ethylene Propylene Rubber (J)

*For applications requiring autoclaving or steam sterilization, Pall recommends the use of Code 2 or Code 7 adaptors to ensure sealing after cooling. Cartridges should be cooled to system operating temperature prior to use.

Declaration

Emflon HTPFR filters meet the requirements of ISO12500-3:2009 in that:

Emflon HTPFR filter cartridges (tested as part number: AB1HTPFR7WH4) have demonstrated applicable performance capability in laboratory tests as described in report LrF 03b/12 appended. These studies were conducted on randomly sampled product made with the same Pall proprietary hydrophobic PTFE filter membrane, polyphenylene sulfide support /drainage material and polypropylene hardware; and using the same manufacturing techniques.

Supplied in Europe by

Pall International Sàrl
Av. de Tivoli 3
Fribourg
Switzerland
CH-1700




Pall Food and Beverage

New York - USA
+1 516 484 3600 telephone
+1 866 905 7255 toll free
foodandbeverage@pall.com

Visit us on the web at www.pall.com

Pall Corporation has offices throughout the world. For Pall representatives in your area, please go to www.pall.com/contact.

Because of developments related to products, systems and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit www.pall.com to verify that this information remains valid.

© Copyright 2019, Pall Corporation. Pall,  and Emflon are trademarks of Pall Corporation. ® indicates a trademark registered in the USA. Filtration.Separation.Solution is a service mark of Pall Corporation.

January 2019