

STATEMENT OF COMPLIANCE: ISO 12500-3:2009 Poly-Fine® II Filter Cartridges "W" Code

Cartridge Part Numbers



This is a guide to the part numbering structure only. For specific options, please contact Pall.

Table 1 : Removal Rating

Table 2 : Nominal Length

Table 4 : Adaptor

| Code | Description | Cod |
|------|-------------|------|
| 025 | 0.25 µm | DOE |
| | | 975 |
| | | 10 |
| | | 195 |
| | | 20 |
| | | 2925 |
| | | 295 |
| | | 30 |

| Code | Code Description | | | |
|----------------|------------------|--|--|--|
| | | | | |
| DUE 3 | DOE Style Only | | | |
| 975 | 248 mm (9.75") | | | |
| 10 | 254 mm (10") | | | |
| 195 | 495 mm (19.5") | | | |
| 20 | 508 mm (20") | | | |
| 2925 | 743 mm (29.25 | | | |
| 295 | 749 mm (29.5") | | | |
| 30 | 762 mm (30") | | | |
| 39 | 991 mm (39") | | | |
| 40 | 1016 mm (40") | | | |
| SOE Style Only | | | | |
| 10 | 254 mm (10") | | | |
| 20 | 508 mm (20") | | | |
| 30 | 762 mm (30") | | | |
| 40 | 1016 mm (40") | | | |
| | | | | |

| Table 4 : Adaptor | | | |
|-------------------|--|--|--|
| Code | Description | | |
| Blank | DOE - double open end with end caps and gaskets | | |
| М3 | SOE - single open end with flat closed end and external 222 O-rings | | |
| M4 | SOE - single open end with fin end, 3 locking tabs, and external 222 O-rings | | |
| M7 | SOE - single open end with fin end, 2 locking tabs, and external 226 O-rings | | |
| M8 | SOE - single open end with fin end and external 222 O- rings | | |

Table 3 : O-ring/Gasket Seal Material

| Code | | Description | Description | |
|------|------------|---------------------------------|-------------|--|
| | S | Silicone Elastomer ² | | |
| | E | Ethylene Propylene | Rubbe | |
| 2 | For M3, M4 | , M7 and M8 options only | | |

| Issued | 17 March 2015 |
|----------|------------------|
| Revision | 7 January 2019 |
| Expires | 28 February 2021 |
| Page | 1 of 2 |

Dail

Steven Bailey Quality Manager Pall Manufacturing (UK) Ltd., Ilfracombe

Profile Star Filter Cartridges ("W" Code)

Components

| Filter Media | Polypropylene |
|-------------------------------|--|
| Core, Cage, Support, Drainage | Polypropylene |
| End Cap and Fin End | Polypropylene |
| Adaptor | Polypropylene |
| O-ring Seal | Silicone Elastomer (S) or Ethylene Propylene Rubber (E) |
| Gasket Seal | Ethylene Propylene Rubber (E) |

Declaration

Poly-Fine II filters meet the requirements of ISO 12500-3:2009 in that:

Poly-Fine II filter cartridges (tested as part number: PFT02510U) have demonstrated applicable performance capability in laboratory tests as described in report LrF 03b/12 appended. These studies were conducted on randomly sampled product made with the same Pall proprietary polypropylene medium, polypropylene support /drainage material and polypropylene hardware; and using the same manufacturing techniques.

Supplied in Europe by

Pall International Sàrl Av. de Tivoli 3 Fribourg Switzerland CH-1700



Pall Food and Beverage

New York - USA +1 516 484 3600 telephone +1 866 905 7255 toll free foodandbeverage@pall.com Visit us on the web at www.pall.com

Pall Corporation has offices throughout the world. For Pall representatives in your area, please go to www.pall.com/contact.

Because of developments related to products, systems and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit <u>www.pall.com</u> to verify that this information remains valid.

© Copyright 2019, Pall Corporation. Pall, (ALL) and Poly-Fine are trademarks of Pall Corporation. (a) indicates a trademark registered in the USA. Filtration.Separation.Solution is a service mark of Pall Corporation.