

## PRODUCT SAFETY DATA INFORMATION

Date: 06 Jan 2023

Data Sheet Number: PSDI NEO96\_Family Revision: 3

---

### **SECTION 1 – Product Identification**

This 'Product Safety Data Information' Sheet covers Pall Medical NEO96 product variants

Product name(s): PALL Posidyne® NEO Intravenous Filter

Part Number(s): See appendix 1

The filters detailed above are air-eliminating filter sets for professional use only and designed for 96-hour bacterial and endotoxin retention

For further information on Pall products, please visit Pall at <https://www.pall.com/en/about-pall.html>

---

### **SECTION 2 - Hazards Identification**

Product definition: Article.

These products are not classified as hazardous according to REACH Regulation 1907/2006, or European CLP/GHS Regulation 1272/2008.

GHS Signal word: No signal word.

Hazard statements: No known significant effects or critical hazards.

Special packaging requirements: None.

---

### **SECTION 3 - Materials of Construction**

**3.1** The filters detailed in Section 1 are comprised of the following materials:

Filter assembly (All codes)

Material Name	CAS Number
Modified acrylic copolymer housings	Supplier proprietary information
Polyamide main membrane	Pall proprietary information
Black Ink	Pall proprietary information
Polytetrafluoroethylene (PTFE) vent membrane	9002-84-0
Polyester vent membrane non-woven support	25038-59-9

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

## PRODUCT SAFETY DATA INFORMATION

Date: 06 Jan 2023

Data Sheet Number: PSDI NEO96\_Family Revision: 3

### Set components

Material Name	Product codes	CAS Number
DEHP free PVC tubing	NEO96E, NEO96NYE, NEO96, NEO96NY, 100-0222	9002-86-2
MABS male luer connector	NEO96NYE, NEO96NY	9010-94-0
Acrylic male luer connector	NEO96E, NEO96, 100-0222	Supplier proprietary information
Co-polyester Female luer connector	NEO96E, NEO96NYE, NEO96, NEO96NY, 100-0222	Supplier proprietary information+
Orange polyethylene copolymer cap on male luer	NEO96E, NEO96NYE, NEO96, NEO96NY, 100-0222	25213-02-9
Polyethylene copolymer slide clamp	NEO96E, NEO96NYE, NEO96, NEO96NY, 100-0222	25213-02-9
Polyethylene cap on female luer	NEO96NYE, NEO96, NEO96NY	9002-88-4
Acrylonitrile-butadiene-styrene copolymer (ABS) cap on female luer	NEO96E, 100-0222	9003-56-9
Y connector – needle-free access	NEO96NYE, NEO96NY	Acrylic – Supplier proprietary information, Silicone Rubber – Supplier proprietary information Polyurethane 9009-54-5

These products are not known to contain BADGE, NOGE, or BFDGE.

Trace additives will be present in the plastic components.

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the article.

There are no current SVHC substances known to be present in the finished articles above 0.1%.

There are no current ROHS2 Directive (2011/65/EU) and amendment (2015/863) substances of concern (including Lead, Cadmium, Mercury, Hexavalent Chromium, Polybrominated biphenyl (PBB), Polybrominated diphenyl ether (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Benzyl Butyl Phthalate (BBP), Dibutyl phthalate (DBP) and Di-isobutyl phthalate (DIBP)) known to be present in the materials employed in excess of the limits laid down, based on information from our suppliers and knowledge of substances used within Pall the manufacturing facility.

Pall Medical filters do not employ natural rubber latex, or latex derivatives in their construction.

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

## PRODUCT SAFETY DATA INFORMATION

Date: 06 Jan 2023

Data Sheet Number: PSDI NEO96\_Family Revision: 3

Pall Medical membranes and filters do not knowingly contain materials of direct animal origin i.e. animal parts, tissues, or body fluids or derivatives. They are not known to be present in the raw materials nor are they intentionally added in the manufacturing process, but Pall does not test for them

PFOA, its salts and PFOA related compounds are not intentionally used by Pall in the manufacturing processes of the above articles. Nor are these substances known to be intentionally present in the raw materials that Pall employs or generated in the processes used to make those raw materials. Based on our PTFE Supplier's information and Pall's knowledge of the processes it employs in production, levels of PFOA and PFOA related compounds are not known to exceed the following:

- 25 ppb PFOA
- 1000ppb PFOA-related compounds

---

### **SECTION 4 - First Aid Measures**

#### **4.1 First aid measures**

Always address any contaminants present on the filter as the result of use.

Eye Contact:	Eye injury could result from physical impact. Get medical attention immediately.
Inhalation:	Inhalation is not considered a likely route of exposure for the filter product as supplied by Pall.
Skin Contact:	Wash with soap and water. If irritation persists, get medical attention.
Ingestion:	This material is not intended for ingestion and is not expected to present an ingestion hazard in the form and quantities present in a work-place setting. However, if ingestion occurs, seek medical attention.
Protection of first-aiders:	No action shall be taken involving any personal risk or without suitable training.

#### **4.2 Key symptoms and effects**

No known significant effects or critical hazards related to the materials of construction of the filter as supplied.

---

### **SECTION 5 - Fire Fighting Measures**

#### **5.1 Extinguishing media**

Select an extinguish medium suitable for surrounding / working environment.

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

## PRODUCT SAFETY DATA INFORMATION

Date: 06 Jan 2023

Data Sheet Number: PSDI NEO96\_Family Revision: 3

For filter set alone use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

### 5.2 Specific Hazards

**Warning: Combustion products of PTFE (fluoropolymers) can be released and be hazardous to humans and the environment.**

Hazardous thermal decomposition products: CO, CO<sub>2</sub>, acrid smoke, SO<sub>x</sub>, Benzenesulfonic acid, 2(or 4) methyl- phenol, ketones, aldehydes, hydrogen chloride, benzene, unsaturated hydrocarbons, hydrogen cyanide, organic acids, formaldehyde, nitrogen oxides, isocyanates, isocyanic acid, amines, isoprene, di-pentene

**Warning:** thermal decomposition of PTFE can also produce fume particles and various toxic gases including hydrofluoric acid and carbonyl fluoride.

Polymer fume fever – chills, nausea, shortness of breath, chest tightness, muscle or joint ache – seek immediate medical attention.

Irritation to eyes. - suitable PPE and breathing apparatus precautions should be taken related to this risk in the event of fire.

### 5.3 Advice to Fire Fighters

Special precaution required. Fire-fighters should wear appropriate protective equipment, including self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Protective gloves must be worn when handling debris after a fire, due to PTFE thermal decomposition risks.

---

## **SECTION 6 - Accidental Release Measures**

**Warning: Do NOT incinerate without additional consideration of risk emissions and residues resulting from combustion of PTFE**

### 6.1 Personal precautions, protective equipment and emergency procedures

No special measures are required in respect of the filters in the unused condition as supplied.

For used filters always address any contaminants present on the filter as the result of use.

### 6.2 Environmental precautions

For unused filter modules, place in designated waste container appropriate to the materials of construction listed in Section 3 and dispose of in accordance with local regulations via a licenced waste disposal contractor.

For used filter modules, using clear-up, containment and appropriate PPE measures related to the product being filtered and the materials of construction detailed in Section 3.

### 6.3 Spillage containment and cleaning up

Use suitable equipment to collect the filter material and place in a designated, labelled waste container.

Care should be taken to consider the nature of any contamination on the filter as the result of use and suitable PPE employed for handling medical waste.

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

Dispose of waste via a licensed waste disposal contractor.

---

## **SECTION 7 – Handling and Storage**

### **7.1 Handling**

Put on appropriate personal protective equipment for the working environment (See Section 8). Consult details of product being filtered for specific advice. Avoid activities that can damage the filter.

Follow good hygiene practices. Eating, drinking and smoking are generally prohibited in areas where this product is handled, stored or processed – exceptions are made on the guidance of local medical advice. Staff must follow standard work-place hygiene before eating, drinking or smoking after using this product. Wear gloves to prevent contamination of the filter cartridge and maintain cleanliness of the unused filter.

### **7.2 Storage**

In the received condition, special protective equipment is not needed during handling and normal use of these filters. However, gloves are recommended to prevent contamination of the filter and maintain cleanliness. Handling of used filters must take into account the nature of potential contaminants.

The article is supplied dry, without the presence of any preserving fluid.  
Store in clean, dry conditions suitable for a medical device.

Handle with care to avoid damage.

Do not expose to direct sunlight during storage, or other radiation or direct weather conditions.  
Store in original shipping bag or boxing.  
Ensure careful handling to avoid physical damage. Ensure shipping bag and seals are intact prior to use - do not use if damaged.

Please also consult Pall for further instructions for use information on the product prior to use.

---

## **SECTION 8 - Exposure Controls/Personal Protection**

### **8.1 Control parameters**

Occupational Exposure limits: None required.

Recommended monitoring procedures: None required

### **8.2 Exposure controls**

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

**PRODUCT SAFETY DATA INFORMATION**

Date: 06 Jan 2023

Data Sheet Number: PSDI NEO96\_Family Revision: 3

There are no special ventilation requirements for the article as supplied in the new and unused condition.

Hygiene Measures: No special measures required. Good hygiene practice in line with local working environmental requirements and medical guidelines.

Hand protection: Disposable gloves are recommended to ensure filter remains clean during installation.

Environmental Exposure Controls: Not normally required for the filter itself as supplied.

After the filter has been used additional exposure controls care should be taken in line with the nature of any contaminant on the filter as a result of its use.

---

**SECTION 9 - Physical and Chemical Properties**

Appearance: Disposable filter/filter set

Physical state: Solid

Colour: Various

Solubility: All components Insoluble in water. Acrylic components readily soluble in esters, ketones and chlorinated hydrocarbons

Auto-ignition temperature: Polypropylene >300 °C

Acrylic: 440 °C (830 °F), decomposition begins at 250 °C (482 °F)

PTFE; 520° - 560 °C, thermal decomposition >300 °C

Polyester: 432 to 488 °C

Polyamide: > 424 °C

Ink: Not determined

ABS: 416 °C

Polyurethane: 416 °C

Silicone rubber: Approximately 450 °C

MABS: Not determined

Polyethylene: 349 °C

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

**PRODUCT SAFETY DATA INFORMATION**

Date: 06 Jan 2023

Data Sheet Number: PSDI NEO96\_Family Revision: 3  
Polyethylene hexene copolymer: Not determined

PVC: 435 to 557 °C

Sensitive to shock: Mechanical / thermal shock can result in damage to the filter

---

**SECTION 10 – Stability and Reactivity**

Reactivity: The filter is stable under the recommended conditions of use and storage.

Chemical Stability: The filter is stable under recommended conditions of use and storage.

Hazardous Polymerisation: Polymerisation will not occur under recommended conditions of use and storage.

Other hazardous reactions: Consult details of product being filtered for specific advice. Under normal conditions of storage and use, no hazardous reactions will occur.

Conditions to Avoid: Avoid hot surfaces or other conditions that soften, swell or adversely affect the filter or its materials of construction. Do not allow fluids to freeze on the filter

Incompatible Materials: Strong Acids, alkalis and oxidising Agents (e.g. Perchloric Acid, nitric acid), alkali metals, strong alkalis and reducing agents, organic acids

Decomposition Products: Under recommended conditions of use or storage, no hazardous decomposition products will be produced.

---

**SECTION 11 - Toxicological Information**

The information in this section contains generic advice and guidance in respect of the unused filter as supplied. Consult SDS details of the product being filtered for specific advice and recommendations.

**11.1 Acute Toxicity**

Based on typical information for the material type named, this information has not been determined specifically for Pall Medical filters

Mutagenicity / Carcinogenicity / Reproductive Toxicity / Teratogenicity: No known concern for the materials of construction of the filter as supplied (new and unused)

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

## PRODUCT SAFETY DATA INFORMATION

Date: 06 Jan 2023

Data Sheet Number: PSDI NEO96\_Family Revision: 3

Aspiration Hazard: Not applicable for un-used filter.

Potential acute health effects: No known significant effects or critical hazards for the unused filter as supplied.

### 11.2 Chronic health effects

No known significant effects or critical hazards for the unused filter as supplied.

Carcinogenicity: No specific test data available, no evidence for hazardous properties

---

## SECTION 12 - Ecological Information

Pall Medical filters are not expected to degrade in contact with soil or water under ambient conditions.

---

## SECTION 13 - Disposal Information

The information in this section contains generic advice and guidance.

### Product

Methods of disposal:

Unused as supplied filters: Disposal/handling of the un-used filters should be in-line with national legislation and local regulatory requirements for the materials present. Unused filters may be used as land-fill.

**Warning:** Do NOT incinerate unused filters with general waste, as combustion products of PTFE (fluoropolymers) can be released and be hazardous to humans and the environment.

**Hazardous Waste:** To the best of our knowledge, this product if unused is not regarded as hazardous waste as defined by the EU Directive 91/689/EEC and amendments.

Used filters should be disposed of as clinical waste due to the nature of the contaminants on the filters as a result of use. Therefore, used filters may be classified as hazardous – clinical waste.

### Packaging

Bagging: Plastic (polyethylene/polyester or polyethylene for bulk filters)

Box: Cardboard

The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled where suitable arrangements and facilities exist. Incineration or landfill should only be considered where re-cycling is not feasible.

---

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.



## PRODUCT SAFETY DATA INFORMATION

Date: 06 Jan 2023

Data Sheet Number: PSDI NEO96\_Family Revision: 3

### **SECTION 14 - Transport Information**

The clean and un-used filter, supplied in its original packaging, is not classified as dangerous goods under ADR, RID, IMDG or IATA regulations.

### **SECTION 15 – Change History**

Rev number	Description of change
1	Initial release
2	Appendix 1 - added NEO-BULK and 69744421E and simplified descriptions
3	Revision performed to replace incorrectly formatted Rev 2 on webpage and to update animal derived substances statement

### **Notice to Reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above Pall Corporation, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any materials is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

“Pall” is a trademark of the Pall Corporation

® indicates a trademark registered in the USA

© Pall Corporation, 2023

### APPENDIX 1

Part number	Description
NEO96E	Filter with ultra-microbore tubing, clamp and luer connectors
NEO96	Filter with ultra-microbore tubing, clamp and luer connectors
NEO96NYE	Filter with ultra-microbore tubing, needleless ‘Y’ site, clamp and luer connectors
NEO96NY	Filter with ultra-microbore tubing, needleless ‘Y’ site, clamp and luer connectors
100-0222	NEO96E non-sterile bulk packed
NEO-BULK	Filter bulk packed
69744421E	Filter 2mm bulk packed

Pall Corporation provides the information contained herein in good faith and states that it represents the best information currently available. However no warranties or representations are expressed or implied and Pall Corporation assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall Pall Corporation be responsible for losses or damages resulting from the use or reliance on this information.

## PRODUCT SAFETY DATA INFORMATION

Date: 06 Jan 2023

Data Sheet Number: PSDI NEO96\_Family Revision: 3