


ITEM	QTY	DESCRIPTION	MATERIAL	PART NO.	ITEM	QTY	DESCRIPTION	MATERIAL	PART NO.
1	1	HOUSING WELD ASS'Y	316 S.S.	428712	8	8	COTTER PIN	S.S.	EHCP3X180B
2	1	LID ASS'Y	316 S.S.	PCA429967C	9	1	LIFTING ARM	C.S. NI. PLT.	LDR26699A0AE
3	8	EYE BOLT (7/8-9 UNC)	SA-193-87 NI. PLATED	PHB25085A09E	10	1	LIFT. ARM CRANK	MALL. IRON NI. PLATED	LDC26004A0ME
4	8	EYE NUT (7/8-9 UNC)	SA-194-1 NI. PLATED	PHE25024A10E	11	1	LIFT SCREW (7/8-9 UNC X 6"L)	P-NO. 8	PDS28031A0B
5	8	CLEVIS PIN (3/4 DIA.)	SA-193-87 NI. PLATED	PHP25036A09E	12	6	BASKET (NOT SHOWN)	316 S.S.	EBA27025C0912
6	8	WASHER (HARDENED) 7/8 USS	C.S. ZN. PLT.	EHWU14HOAZ	13	1	GASKET (NOT SHOWN)	BUNA-N(STD.)	EGL30263B
7	8	WASHER	S.S.	EHWS12SOB					

NOTE:  
ALL NPT COUPLINGS PER ANSI SPEC. B16.11



CONSTRUCTION IN ACCORDANCE WITH A.S.M.E. CODE  
SECTION VIII, DIV. 1.  
FOR UNFIRED PRESSURE VESSELS  
MAX. ALLOWABLE WORKING PRESSURE 150 PSI  
HYDROSTATIC TEST PRESSURE 195 PSI  
MAX. DESIGN TEMP. 250° F  
MIN. DESIGN METAL TEMP. -20 F  
CORROSION ALLOWANCE - NONE  
IMPACT TEST - NONE PER UHA-51  
PWHT - NONE PER UHA-32  
NOZZLE INSIDE RADII PER UW-16

5863

STOCK VESSEL

E	VAS 72 9/16	JMD	1/18/08	FSI	FILTER SPECIALISTS INC. MICHIGAN CITY, IND. 46360	DATE 7-30-03	DWN BY RLH
D	ADDED CRN NOTES	JMD	6/27/07			APP'D RLH	SCALE 1-7
C	REV. DELINEATION OF LIFT BRKT	RLH	6-20-07			MATERIAL	316 S.S.
B	VAS 72 7/16	RLH	1-25-06	FILTER ASS'Y FSPN-1100 #4- 6"FLG PART NO. VB428713S		DRAWING NO.	1901427
A	UPDATED PART NO.S	RLH	2-22-05				
CHG	REVISION	BY	DATE				